

Safety Data Sheet

Issue Date 08-Aug-2011

Revision/Review Date: 14-Apr-2021

Version 1.2

1. IDENTIFICATION

Product Identifier **Product Name** Maxim Halt Plus Other Means of Identification **Product Code** 010400 Recommended use of the Chemical and Restrictions on Use **Recommended Use** Air deodorizer concentrate. For industrial and institutional use. Details of the Supplier of the Safety Data Sheet Midlab, Inc. 140 Private Brand Way Athens, TN 37303 Emergency Telephone Number **Company Phone Number** Phone: 1-423-337-3180 **Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International) - Customer Number: 76773 1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION Appearance Clear to Amber Physical State Liquid Odor Baby Powder **Classification**

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

Signal Word Warning

Hazard Statements

Causes serious eye irritation. Flammable liquid and vapor.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Keep container tightly closed and away from heat/sparks/open flames/hot surfaces. — No smoking.

Ground/bond container and receiving equipment, taking precautionary measures against static discharge.

Use only non-sparking tools and explosion-proof equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Toxic to aquatic life with long lasting effects.

Unknown Acute Toxicity

1.9% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropanol	67-63-0	7-14
Nonoxynol 4-40	127087-87-0	1-5

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	If skin irritation occurs, rinse affected area with water.
Inhalation	No known hazardous effects. If symptoms occur, remove to fresh air.
Ingestion	Drink plenty of water. If any discomfort persists, obtain medical attention.
Most Important Symptoms and Effects	
Symptoms	Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Prolonged or repeated skin contact may cause irritation.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media

Not determined

Specific Hazards Arising from the Chemical

Flammable.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

 Methods for Containment
 Prevent further leakage or spillage if safe to do so.

 Methods for Clean-Up
 Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

 T. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with eyes. Observe good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep from freezing. Keep out of the reach of children.	

Incompatible Materials Strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate Engineering Controls

Engineering Controls

Physical State

Ventilation systems.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	No protective equipment is needed under normal use conditions.
Skin and Body Protection	None required under normal use.
Respiratory Protection	No protective equipment is needed under normal use conditions.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance	Clear
Color	Colorl
Property	<u>Value</u>
pH	7.0-7.:
Melting Point/Freezing Point	~ 0 °C
Boiling Point/Boiling Range	~ 100
Flash Point	40 °C
Evaporation Rate	Not de
Flammability (Solid, Gas)	Not de

Liquid Clear Colorless to Amber

Values 7.0-7.5 ~ 0 °C / ~32 °F ~ 100 °C / ~212 °F 40 °C / 104°F Not determined Not determined OdorBaby PowderOdor ThresholdNot determined

Remarks • Method

Tag Open Cup

Upper Flammability Limits	Not determined
Lower Flammability Limit	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Specific Gravity	0.99
Water Solubility	Completely solu
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

letermined letermined letermined pletely soluble letermined letermined letermined letermined letermined letermined letermined letermined

@ 25 °C (77 °F)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Strong oxidizers.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	
---------------------	--

Eye Contact	Causes serious eye irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	Do not taste or swallow.

Component Information

1	Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
	Isopropanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h	

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		х

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor)

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical Measures of Toxicity

Not determined

```
Unknown Acute Toxicity
```

1.9% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
lsopropanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus μg/L LC50	-	13299: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Isopropanol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropanol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated when shipped in containers less than 119 gallons
IATA	

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Isopropanol 67-63-0	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA – California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic MA – Massachusetts Right to Know List MN – Minnesota Hazardous Substances List NJ – New Jersey Right to Know List PA – Pennsylvania Right to Know List RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
HMIS	Not determined	Not determined	Not determined	Not determined
	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	2	0	Not determined

Issue Date	08-Aug-2011
Revision/Review Date:	14-Apr-2021
Revision Note	Version 1.2 Updated Section

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

3.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet