

Issue Date: 08-Aug-2011

Revision/Review Date: 29-Nov-2023

Version 1.1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Maxim Workhorse

### Other Means of Identification

**Product Code** 062000

### Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Butyl degreaser cleaner concentrate. For industrial and institutional use.

### Details of the Supplier of the Safety Data Sheet

Midlab, Inc.  
140 Private Brand Way  
Athens, TN 37303

### Emergency Telephone Number

**Company Phone Number** Phone: 1-423-337-3180  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Red

**Physical State** Liquid

**Odor** Characteristic

### Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage.  
May be corrosive to metals.



### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Keep only in original container.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
Absorb spillage to prevent material damage.

### Precautionary Statements - Storage

Store locked up.  
Store in corrosive resistant container with a resistant inner liner.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Butoxyethanol	111-76-2	3-7
Potassium Hydroxide	1310-58-3	1-5
Alcohols, C9-11 Ethoxylated	68439-46-3	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. \*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
<b>Skin Contact</b>	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. Seek immediate medical attention/advice.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Seek medical advice.

**Most important Symptoms and Effects**

<b>Symptoms</b>	Exposed individuals may experience eye tearing, redness and discomfort. Contact may cause irritation and redness.
-----------------	---

**Indication of any Immediate Medical Attention and Special Treatment Needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

**Unsuitable Extinguishing Media**

Not determined.

**Specific Hazards Arising from the Chemical**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures**

<b>Personal Precautions</b>	Use personal protection recommended in Section 8.
-----------------------------	---

<b>Environmental Precautions</b>	Avoid release to the environment.
----------------------------------	-----------------------------------

**Methods and Material for Containment and Cleaning Up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

**Methods for Clean-Up** Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state, and local regulations. Use a water rinse for final clean up.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for Safe Storage, including any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing.

**Incompatible Materials** Acids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

**Appropriate Engineering Controls**

**Engineering Controls** General room ventilation should be adequate under normal use conditions.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Chemical resistant protective gloves.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Characteristic
<b>Appearance</b>	Clear	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	13.0-13.5	
<b>Melting Point/Freezing Point</b>	~ 0 °C / ~32 °F	
<b>Boiling Point/Boiling Range</b>	101 °C / 214 °F	
<b>Flash Point</b>	Not applicable	
<b>Evaporation Rate</b>	Not determined	
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Upper Flammability Limits</b>	Not determined	

<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	1.02	
<b>Water Solubility</b>	Completely soluble	@ 25 °C (77 °F)
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children. Keep from freezing.

### Incompatible Materials

Acids.

### Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### **Product Information**

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Potassium Hydroxide 1310-58-3	= 214mg/kg (Rat)	-	-
Alcohols, C9-11 ethoxylated 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

**Carcinogenicity** Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------

Butoxyethanol 111-76-2	A3	Group 3		
---------------------------	----	---------	--	--

**Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

**Numerical Measures of Toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96h Gambusia affinis mg/L LC50 static	-	-

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Butoxyethanol 111-76-2	0.81
Potassium Hydroxide 1310-58-3	0.83

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide 1310-58-3	Toxic Corrosive

**14. TRANSPORT INFORMATION****DOT**

UN3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG III

49 CFR §173.154 (Exemption): This product can ship as a "Limited Quantity" if packaged in containers &lt; 1.3 gallons.

**IATA**

**IMDG**

**15. REGULATORY INFORMATION**

**International Inventories**

Canada – Domestic Substances List (DSL)  
 TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.  
 All ingredients are listed or exempt.

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*

**US Federal Regulations**

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Butoxyethanol	111-76-2	3-7	1.0

**US State Regulations**

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA – Reportable Quantities	CWA – Toxic Pollutants	CWA – Priority Pollutants	CWA – Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			X

**U.S. State Right-to-Know Regulations**

Chemical Name	State List
Butoxyethanol 111-76-2	MA, NJ, PA
Potassium Hydroxide 1310-58-3	MA, NJ, PA

AZ - Arizona Ambient Air Quality Guidelines  
 CT – Connecticut Hazardous Air Pollutants  
 CA – California Director’s List of Hazardous Substances  
 CAP65 – California Prop 65  
 FL – Florida Substances List  
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate – Carcinogenic  
 MA – Massachusetts Right to Know List  
 MN – Minnesota Hazardous Substances List  
 NJ – New Jersey Right to Know List  
 PA – Pennsylvania Right to Know List  
 RI – Rhode Island Hazardous Substances List

**16. OTHER INFORMATION**

<u><b>NFPA</b></u>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<u><b>HMIS</b></u>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Glasses, gloves

**Issue Date:** 08-Aug-2011  
**Revision/Review Date:** 29-Nov-2023  
**Revision Note:** Version 1.1 Updated Section 3.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Keep Out of Reach of Children. For Industrial and Institutional Use Only.**

\*Denotes changes from last version.

**End of Safety Data Sheet**