

Issue Date 13-Jun-2018

Revision Date: 13-Jun-2018

Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name Acid-Foam

Other Means of Identification

Product Code 068000

Recommended use of the Chemical and Restrictions on Use

Recommended Use Foaming Acid Detergent Concentrate. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Reddish Orange

Physical State Liquid

Odor Mild

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Metal Corrosion | Category 1 |

Signal Word

Danger

Hazard Statements

May be corrosive to metals.
Causes severe skin burns and serious eye damage.
Flammable liquid and vapor.



Precautionary Statements - Prevention

Avoid contact with eyes, skin and clothing.
Do not breathe spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not spray on an open flame or other ignition source.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Rinse mouth. Do not induce vomiting.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed.

Other Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------|------------|----------|
| Water | 7732-18-5 | 60-100 |
| Phosphoric Acid | 7664-38-2 | 15-40 |
| Dodecylbenzenesulfonic Acid | 68584-22-5 | 3-7 |
| Isopropyl Alcohol | 67-63-0 | 3-7 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

First Aid Measures

| | |
|-----------------------|--|
| General Advice | Immediately call a POISON CENTER or doctor/physician. |
| Eye Contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contact lenses should be discarded. |
| Skin Contact | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. |
| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately. |
| Ingestion | IF SWALLOWED: call a poison control center or physician immediately. Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Do not induce vomiting. |

Most Important Symptoms and Effects

| | |
|-----------------|--|
| Symptoms | Causes severe skin burns and eye damage. |
|-----------------|--|

Indication of any Immediate Medical Attention and Special Treatment Needed

| | |
|---------------------------|--|
| Notes to Physician | May aggravate pre-existing skin disorders. Any lung condition may be aggravated. |
|---------------------------|--|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Flammable.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

| | |
|----------------------------------|--|
| Personal Precautions | Use personal protection recommended in Section 8. |
| Environmental Precautions | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. |

Methods and Material for Containment and Cleaning Up

| | |
|--------------------------------|--|
| Methods for Containment | Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid spill for later disposal. |
| Methods for Clean-Up | Contain and collect with an inert absorbent and place into an appropriate container for disposal. |

7. HANDLING AND STORAGE

Precautions for Safe Handling

| | |
|--------------------------------|---|
| Advice on Safe Handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe spray. For Industrial or professional use only. |
|--------------------------------|---|

Conditions for Safe Storage, including any Incompatibilities

| | |
|-------------------------------|--|
| Storage Conditions | Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep from freezing. Protect from excessive heat. Keep out of the reach of children. |
| Incompatible Materials | Alkalis. Oxidizing agents. Bleach. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|---|---|---|
| Phosphoric Acid 7664-38-2 | STEL: 3 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³ | IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³ |
| Isopropyl Alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |

Appropriate Engineering Controls

| | |
|-----------------------------|--|
| Engineering Controls | Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers. |
|-----------------------------|--|

Individual Protection Measures, such as Personal Protective Equipment

| | |
|---------------------------------------|--|
| Eye/Face Protection | Wear goggles or chemical safety glasses. For Industrial or professional use only. |
| Skin and Body Protection | Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. |
| Respiratory Protection | Avoid breathing vapors. No respiratory protection is necessary during normal use conditions. In the case of insufficient ventilation or if exposure limits are exceeded, use a suitable NIOSH/MSHA respiratory device. |
| General Hygiene Considerations | Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on Basic Physical and Chemical Properties**

| | | | |
|-------------------------------------|-----------------------|-------------------------|----------------|
| Physical State | Liquid | Odor | Mild |
| Appearance | Clear | Odor Threshold | Not determined |
| Color | Reddish Orange | | |
| Property | Values | Remarks • Method | |
| pH | <1 | | |
| Melting Point/Freezing Point | ~ 0 °C / 32 °F | | |
| Boiling Point/Boiling Range | ~ 100 °C / 212 °F | | |
| Flash Point | ~ 50 °C / 122 °F | Tag Closed Cup | |
| Evaporation Rate | Not determined | | |
| Flammability (Solid, Gas) | Liquid-not applicable | | |
| Upper Flammability Limits | Not determined | | |
| Lower Flammability Limit | Not determined | | |
| Vapor Pressure | Not determined | | |
| Vapor Density | Not determined | | |
| Specific Gravity | 1.16 | | |
| Water Solubility | Completely soluble | @ 25 °C (77 °F) | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Autoignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Not determined | | |
| Explosive Properties | None known | | |
| Oxidizing Properties | Not determined | | |

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Elevated temperatures. Keep from freezing. Reacts with incompatible materials.

Incompatible Materials

Alkalis. Oxidizing agents. Bleach.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Product Information**

| | |
|---------------------|---|
| Eye Contact | Causes severe eye damage. |
| Skin Contact | Causes severe skin burns. |
| Inhalation | Avoid breathing sprays, vapors or mists. |
| Ingestion | May be harmful if swallowed. Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|---|-------------------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Phosphoric Acid 7664-38-2 | = 1530 mg/kg (Rat) | = 2730 mg/kg (Rabbit) | > 850 mg/m ³ (Rat) 1 h |
| Isopropyl Alcohol 67-63-0 | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit) | = 72.6 mg/L (Rat) 4 h |
| Dodecylbenzenesulfonic Acid 68584-22-5 | = 1450 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------------|-------|---------|-----|------|
| Isopropyl Alcohol 67-63-0 | | Group 3 | | X |

Legend**IARC (International Agency for Research on Cancer)**

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--------------------------|--|----------------------------|-----------------------------------|
| Dodecylbenzenesulfonic Acid 68584-22-5 | = 47.3 mg/L (72hr) Algae | = 1.67 mg/L (96hr) | - | = 2.4 mg/L (48hr) Daphnia |
| Phosphoric Acid 7664-38-2 | - | 3 - 3.5: 96 h Gambusia affinis mg/L LC50 | - | 4.6: 12 h Daphnia magna mg/L EC50 |

| | | | | |
|------------------------------|--|---|---|--|
| Isopropyl Alcohol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | - | 13299: 48 h Daphnia magna mg/L EC50 |
|------------------------------|--|---|---|--|

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

| Chemical Name | Partition Coefficient |
|------------------------------|-----------------------|
| Isopropyl Alcohol 67-63-0 | 0.05 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Phosphoric Acid 7664-38-2 | Corrosive |
| Isopropyl Alcohol 67-63-0 | Toxic Ignitable |

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN3264, Corrosive Liquid, Acidic, Inorganic, NOS (Containing Phosphoric Acid), 8 PG III

IATA**IMDG**

15. REGULATORY INFORMATION

International Inventories**TSCA**

Listed

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances*

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|--------------------------|----------------|--|
| Phosphoric Acid 7664-38-2 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Dodecylbenzenesulfonic Acid 68584-22-5 | 1000 lb. | 1000 lb. | RQ 1000 lb. final RQ RQ 453 kg final RQ |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Reactive Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Phosphoric Acid 7664-38-2 | 5000 lb | | | X |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | State List |
|------------------------------|------------|
| Phosphoric Acid 7664-38-2 | MA, NJ, PA |
| Isopropyl Alcohol 67-63-0 | MA, NJ, PA |

AZ – Arizona Ambient Air Quality Guidelines
 CT – Connecticut Hazardous Air Pollutants
 CA – California Director’s List of Hazardous Substances
 CAP65 – California Prop 65
 FL – Florida Substances List
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminant- Carcinogenic
 MA – Massachusetts Right to Know List
 MN – Minnesota Hazardous Substances List
 NJ – New Jersey Right to Know List
 PA – Pennsylvania Right to Know List
 RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

| | |
|-----------------------|-------------|
| Issue Date | 13-Jun-2018 |
| Revision Date: | 13-Jun-2018 |
| Revision Note | Version 1.0 |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet