

# **Safety Data Sheet**

Issue Date 08-Aug-2011 Revision/Review Date: 09-Dec-2019 Version 1.1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Maxim Renew Shampoo

Other Means of Identification

Product Code 091000

Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Foamy carpet shampoo. For industrial use.

**Details of the Supplier of the Safety Data Sheet** 

Midlab, Inc. 140 Private Brand Way Athens, TN 37303

**Emergency Telephone Number** 

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor Clean

# Classification

Skin Corrosion/Irritation	Category 3
Serious Eye/Damage/Eye Irritation	Category 2 Sub-category A
Specific Target Organ Toxicity – Single Exposure	Category 2

# Signal Word Warning

#### **Hazard Statements**

Causes mild skin irritation.

Causes serious eye irritation.

May cause damage to liver, kidney, central nervous system depression, decreased blood pressure, anxiety, and confusion if ingested.

# **Precautionary Statements - Prevention**

Do not breathe fumes, mists, vapors, or sprays.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves and eye protection.

#### <u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: If skin irritation or rash occurs: Get medical advice/attention.

IF exposed or if you feel unwell: call a POISON CENTER or doctor/physician.

#### **Precautionary Statements - Storage**

No other specific measures identified.

# <u>Precautionary Statements - Disposal</u>

Dispose of contents/container in accordance with local, regional, or national regulations.



# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Diethylene Glycol Monobutyl Ether	112-34-5	3-7
Alkyl Sulfate	68478-94-4	3-7
Tetrasodium EDTA	64-02-8	1-5
Isopropyl Alcohol	67-63-0	1-5
Sodium Tetraborate	12179-04-3	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** If skin irritation occurs, rinse affected area with water.

**Inhalation** No known hazardous effects. If symptoms occur, remove to fresh air.

**Ingestion** Drink plenty of water. If any discomfort persists, obtain medical attention.

#### **Most Important Symptoms and Effects**

**Symptoms** Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye,

and irritation. Prolonged or repeated skin contact may cause irritation.

# Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

# Unsuitable Extinguishing Media

Not determined.

#### Specific Hazards Arising from the Chemical

None known.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

**Environmental Precautions** Avoid release to the environment.

# Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush

away traces with water.

# 7. HANDLING AND STORAGE

**Precautions for Safe Handling** 

Advice on Safe Handling Avoid contact with eyes. Observe good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

**Incompatible Materials** None known.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Sodium Tetraborate (particles not otherwise regulated) 12179-04-3	2mg/m³	Total Dust: 15mg/m³ Respirable Fraction: 5mg/m³	-

# **Appropriate Engineering Controls**

**Engineering Controls** Ventilation systems.

Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Eye protection should be used when splashing may occur.

**Skin and Body Protection** Wear protective gloves when handling this product.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on Basic Physical and Chemical Properties

**Physical State** Liquid **Appearance** Clear

Odor Clean

Color Colorless **Odor Threshold** Not determined

Property Values Remarks • Method

рH

~ 0 °C / ~32 °F

9.4-9.9

**Melting Point/Freezing Point Boiling Point/Boiling Range** ~ 100 °C / ~212 °F

Flash Point Not applicable **Evaporation Rate** Not determined

Flammability (Solid, Gas) n/a-liquid

**Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

Page 3/7

Tag Open Cup

Specific Gravity 1.03

Water Solubility Completely soluble @ 25 °C (77 °F)

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children. Keep from freezing. Avoid excessive heat. Avoid contact with strong oxidizers.

#### **Incompatible Materials**

Avoid oxidizers, acids, and alkalis.

# **Hazardous Decomposition Products**

Thermal decomposition may produce oxides of carbon, phosphorus oxides, potassium oxides, and nitrogen oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

#### **Product Information**

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not taste or swallow.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene Glycol Monobutyl Ether 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Isopropyl Alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L ( Rat ) 4 h
Sodium Tetraborate 12179-04-3	>3200 mg/kg (Rat)	-	-

#### Information on Physical, Chemical and Toxicological Effects

**Symptoms** 

Please see section 4 of this SDS for symptoms.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

#### Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### **Numerical Measures of Toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	-	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-	610: 24 h Daphnia magna mg/L EC50
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	mg/L LC50 flow-through 11130:	1	13299: 48 h Daphnia magna mg/L EC50
Sodium Tetraborate 12179-04-3	-	40 mg/mL (96hr) Coho salmon (seawater)	-	133 mg/L (48hr) Daphnia

# Persistence/Degradability

Not determined

#### Bioaccumulation

Not determined

# **Mobility**

Not determined

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### **California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

Canada – Domestic Substances List (DSL)

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

All ingredients are listed or exempt.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene Glycol Monobutyl Ether	112-34-5	3-7	1.0

# **US State Regulations**

# U.S. State Right-to-Know Regulations

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List:

Chemical Name	State List
Diethylene Glycol Monobutyl Ether 112-34-5	NJ & PA
Isopropyl Alcohol 67-63-0	MA, NJ, PA

AZ- Arizona Ambient Air Quality Guidelines IL- Illinois Toxic Air Contaminate- Carcinogenic

CT- Connecticut Hazardous Air Pollutants MA- Massachusetts Right to Know List

CA- California Director's List of Hazardous Substances MN- Minnesota Hazardous Substances List

CAP65- California Prop65 NJ- New Jersey Right to Know List FL- Florida Substances List PA- Pennsylvania Right to Know List

ID- Idaho Non-Carcinogen Toxic Air Pollutants RI- Rhode Island Hazardous Substances List

Page 6 / 7

# **16. OTHER INFORMATION**

NFPAHealth Hazards<br/>Not determinedFlammability<br/>Not determinedInstability<br/>Not determinedSpecial HazardsHMISHealth HazardsFlammabilityNot determinedNot determinedPhysical HazardsPersonal Protection

0 0 Not determined

Issue Date08-Aug-2011Revision/Review Date:09-Dec-2019Revision NoteVersion 1.1

2

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

**End of Safety Data Sheet** 

<sup>\*</sup>Denotes changes from last version.