

Issue Date 08-Aug-2011

Revision Date: 04-Feb-2014

Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name Renew Shampoo

Other Means of Identification

Product Code 091000

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Foamy carpet shampoo. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless

Physical State Liquid

Odor Clean

Classification

Skin Corrosion/Irritation	Category 3
Serious Eye/Damage/Eye Irritation	Category 2 Sub-category A
Specific Target Organ Toxicity – Single Exposure	Category 2

Signal Word

Warning

Hazard Statements

Causes mild skin irritation.
Causes serious eye irritation.
May cause damage to liver, kidney, central nervous system depression, decreased blood pressure, anxiety, and confusion if ingested.



Precautionary Statements – Prevention

Do not breathe fumes, mists, vapors, or sprays.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves and eye protection.

Precautionary Statements – Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
IF exposed or if you feel unwell: call a POISON CENTER or doctor/physician.

Precautionary Statements – Storage

No other specific measures identified.

Precautionary Statements – Disposal

Dispose of contents/container in accordance with local, regional, or national regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Diethylene Glycol Monobutyl Ether	112-34-5	3-7
Alkyl Sulfate	68478-94-4	3-7
Tetrasodium EDTA	64-02-8	1-5
Isopropyl Alcohol	67-63-0	1-5
Sodium Tetraborate	12179-04-3	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	If skin irritation occurs, rinse affected area with water.
Inhalation	No known hazardous effects. If symptoms occur, remove to fresh air.
Ingestion	Drink plenty of water. If any discomfort persists, obtain medical attention.

Most Important Symptoms and Effects

Symptoms	Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Prolonged or repeated skin contact may cause irritation.
-----------------	---

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Avoid contact with eyes. Observe good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

Incompatible Materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Sodium Tetraborate (particles not otherwise regulated) 12179-04-3	2mg/m ³	Total Dust: 15mg/m ³ Respirable Fraction: 5mg/m ³	-

Appropriate Engineering Controls

Engineering Controls Ventilation systems.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Eye protection should be used when splashing may occur.

Skin and Body Protection Wear protective gloves when handling this product.

Respiratory Protection No protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Clean
Appearance	Clear	Odor Threshold	Not determined
Color	Colorless		
Property	Values	Remarks • Method	
pH	9.4-9.9		
Melting Point/Freezing Point	~ 0 °C / ~32 °F		
Boiling Point/Boiling Range	~ 100 °C / ~212 °F		
Flash Point	Not applicable	Tag Open Cup	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	n/a-liquid		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		

Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.03	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing. Avoid excessive heat. Avoid contact with strong oxidizers.

Incompatible Materials

Avoid oxidizers, acids, and alkalis.

Hazardous Decomposition Products

Thermal decomposition may produce oxides of carbon, phosphorus oxides, potassium oxides, and nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene Glycol Monobutyl Ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Isopropyl Alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Sodium Tetraborate 12179-04-3	>3200 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**Carcinogenicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	1300: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	-	2850: 24 h <i>Daphnia magna</i> mg/L EC50 100: 48 h <i>Daphnia magna</i> mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	41: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 59.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static	-	610: 24 h <i>Daphnia magna</i> mg/L EC50
Isopropyl Alcohol 67-63-0	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	9640: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 11130: 96 h <i>Pimephales promelas</i> mg/L LC50 static 1400000: 96 h <i>Lepomis macrochirus</i> µg/L LC50	-	13299: 48 h <i>Daphnia magna</i> mg/L EC50
Sodium Tetraborate 12179-04-3	-	40 mg/mL (96hr) <i>Coho salmon</i> (seawater)	-	133 mg/L (48hr) <i>Daphnia</i>

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION**International Inventories**

Not determined

US Federal Regulations**SARA 311/312 Hazard Categories**

Acute Health Hazard Yes

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene Glycol Monobutyl Ether	112-34-5	15-40	1.0

US State Regulations**U.S. State Right-to-Know Regulations**

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List:

Chemical Name	State List
Diethylene Glycol Monobutyl Ether 112-34-5	NJ & PA
Isopropyl Alcohol 67-63-0	MA, NJ, PA

AZ- Arizona Ambient Air Quality Guidelines
 CT- Connecticut Hazardous Air Pollutants
 CA- California Director's List of Hazardous Substances
 CAP65- California Prop65
 FL- Florida Substances List
 ID- Idaho Non-Carcinogen Toxic Air Pollutants

IL- Illinois Toxic Air Contaminate- Carcinogenic
 MA- Massachusetts Right to Know List
 MN- Minnesota Hazardous Substances List
 NJ- New Jersey Right to Know List
 PA- Pennsylvania Right to Know List
 RI- Rhode Island Hazardous Substances List

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	0	0	Not determined

Issue Date	08-Aug-2011
Revision Date:	04-Feb-2014
Revision Note	New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet