

# Safety Data Sheet

Issue Date: 08-Aug-2011 Revision/Review Date: 19-Oct-2022 Version 1.3

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Maxim Low Odor Stripper

Other Means of Identification

Product Code 110600

Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Floor stripper concentrate. For industrial and institutional use.

**Details of the Supplier of the Safety Data Sheet** 

Midlab, Inc. 140 Private Brand Way Athens, TN 37303

**Emergency Telephone Number** 

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

#### 2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor No added fragrance

#### Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

#### Signal Word Danger

#### **Hazard Statements**

Harmful if swallowed.

Causes severe skin burns and eye damage.

May be corrosive to metals.

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes.

Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original packaging.

# <u>Precautionary Statements - Response</u>

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately.

IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get emergency medical help immediately.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

IN CASE OF SPILL: Absorb spillage to prevent material-damage.





Revision/Review Date: 19-Oct-2022

## **Precautionary Statements - Storage**

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### **Other Hazards**

May be harmful to aquatic life with long lasting effects.

#### **Unknown Acute Toxicity**

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Hydroxide	1310-73-2	5-10
Butoxyethanol	111-76-2	5-10
Ethanolamine	141-43-5	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. \*\*

#### 4. FIRST-AID MEASURES

#### **First Aid Measures**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and **Eye Contact** 

> continue flushing for at least 15 minutes. Seek immediate medical attention/advice. If possible, continue to flush eyes with running water until medical attention is received.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse. Seek medical attention of burns or

rash occurs.

Inhalation Remove to fresh air. Call a physician or poison control center immediately.

Rinse mouth. Drink plenty of water. Seek medical attention immediately. Do not induce Ingestion

vomiting. Never give anything by mouth to an unconscious person.

#### **Most Important Symptoms and Effects**

Symptoms Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may

even cause skin burns.

## Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

## Unsuitable Extinguishing Media

Not determined.

## Specific Hazards Arising from the Chemical

None known.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal,

state, and local regulations. Dilute remaining residue with water.

## 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not eat, drink, or smoke when using this product. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Avoid contact with skin

Revision/Review Date: 19-Oct-2022

and eyes.

# Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and

out of reach of children. Keep from freezing.

**Incompatible Materials** Acids. Oxidizing agents. Bleach.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	Chemical Name ACGIH TLV OSHA PEL		NIOSH IDLH	
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	
Butoxyethanol 111-76-2	Butoxyethanol TWA: 20 ppm		IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³	
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15mg/m³	

## **Appropriate Engineering Controls**

**Engineering Controls** General ventilation sufficient.

# Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Splash goggles or safety glasses.

Skin and Body Protection Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision/Review Date: 19-Oct-2022

## Information on Basic Physical and Chemical Properties

Physical State Liquid

AppearanceClearOdorNo added fragranceColorColorlessOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

13.0-14.0 Hq **Melting Point/Freezing Point** ~ 0 °C / ~32 °F **Boiling Point/Boiling Range** ~ 100 °C / ~212 °F **Flash Point** Not applicable **Evaporation Rate** Not determined Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined

Specific Gravity 1.09

Water Solubility Completely soluble @ 25 °C (77 °F)

Not determined

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

**Vapor Density** 

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

## **Incompatible Materials**

Acids. Oxidizing agents. Bleach.

#### **Hazardous Decomposition Products**

When exposed to fire, produces normal products of combustion.

## 11. TOXICOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

# **Product Information**

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Harmful if inhaled.

**Ingestion** Harmful if swallowed.

## **Component Information**

Revision/Review Date: 19-Oct-2022

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2 = 214 mg/kg (Rat)		= 1350 mg/kg (Rat)	-
Butoxyethanol = 470 mg/kg (Rat)		= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Ethanolamine = 1720 mg/kg (Rat)		= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-

## Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butoxyethanol 111-76-2	А3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

**Chronic toxicity** Chronic exposure may cause liver, kidney and/or blood disorders.

**Numerical Measures of Toxicity** 

Not determined

**Unknown Acute Toxicity** None known.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Hydroxide 1310-73-2	-	125: 96h Gambusia affinis mg/L LC50 static	-	34.59-47.13: 48hr Ceriodaphnia dubia EC50
Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Ethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Butoxyethanol 111-76-2	0.81
Ethanolamine 141-43-5	-1.91

Revision/Review Date: 19-Oct-2022

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1760, Corrosive Liquid, NOS (Containing Sodium Hydroxide and Monoethanolamine), 8,

PG II

**IATA** 

<u>IMDG</u>

Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

#### **International Inventories**

Canada – Domestic Substances List (DSL)

All ingredients are listed or exempt.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

## **CERCLA**

This material, as supplied, contains one or more substance regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substance RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2	di 0001		RQ 454 kg final RQ

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesReactive HazardYes

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Butoxyethanol	111-76-2	5-10	1.0

#### **US State Regulations**

#### **California Proposition 65**

This product contains a chemical known to the State of California to cause cancer.



**WARNING**: This product can expose you to Diethanolamine, which is known to the State of California to cause cancer. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

#### **U.S. State Right-to-Know Regulations**

Chemical Name	State List
Butoxyethanol 111-76-2	MA, NJ, PA
Ethanolamine 141-43-5	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines

CT - Connecticut Hazardous Air Pollutants

CA – California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

Revision/Review Date: 19-Oct-2022

MA - Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA - Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

## 16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Glasses, gloves

Issue Date:08-Aug-2011Revision/Review Date:19-Oct-2022Revision Note:Version 1.3

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

**End of Safety Data Sheet** 

<sup>\*</sup>Denotes changes from last version.