

Issue Date: 21-Jul-2022

Revision/Review Date: 24-Jan-2024

Version 1.3

1. IDENTIFICATION

Product Identifier

Product Name Maxim Floor Stripper Super Concentrate

Other Means of Identification

Product Code 113500

Recommended use of the Chemical and Restrictions on Use

Recommended Use Floor stripper concentrate. For industrial and institutional use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Dark Green

Physical State Liquid

Odor No Added Fragrance

Classification

Acute toxicity - Oral	Category 4
Acute Toxicity – Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Signal Word

Danger



Hazard Statements

Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Do not touch eyes.
Do not eat, drink or smoke when using this product.
Do not breathe dusts or mists.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.
IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical help.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Harmful to aquatic life with long lasting effects.

Unknown Acute Toxicity

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethanolamine	141-43-5	40-70
Benzyl Alcohol	100-51-6	30-60
Alcohols, C9-11, Ethoxylated	68439-46-3	1-5
Sodium Mixed C8 Amphocarboxylates	Proprietary	1-5

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice. If possible, continue to flush eyes with running water until medical attention is received.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.

Inhalation

Remove to fresh air. Call a physician or poison control center if breathing is difficult or you feel unwell.

Ingestion

Rinse mouth. Drink plenty of water. Seek medical attention immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects

Symptoms

Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state, and local regulations. Dilute remaining residue with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not eat, drink, or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Avoid contact with skin and eyes.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep locked up and out of reach of children. Keep from freezing.

Incompatible Materials Acids. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Appropriate Engineering Controls

Engineering Controls General ventilation sufficient.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	No Added Fragrance
Appearance	Clear	Odor Threshold	Not determined
Color	Dark Green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.0-12.5	
Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	~ 100 °C / ~212 °F	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.03	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Product Information**

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns. May be harmful in contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Alcohols, C9-11, Ethoxylated 68439-46-3	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50
Benzyl Alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Alcohols, C9-11, Ethoxylated 68439-46-3	10-100 mg/L, 72 hrs	5-10 mg/L, 96 hrs	-	5-10 mg/L, 48 hrs

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethanolamine 141-43-5	-1.91
Benzyl Alcohol 100-51-6	1.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT UN/ID No UN1760, Corrosive Liquids, n.o.s, (Containing Ethanolamine), 8, PG III
 49CFR §173.154 (Exemption): This product can ship as a “Limited Quantity” if packaged in containers < 1.3 gallons.

IATA

IMDG Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL) All ingredients are listed or exempt.
 TSCA (Toxic Substances Control Act) All ingredients are listed or exempt.

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
None listed			

US State Regulations

California Proposition 65
 None listed.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Ethanolamine 141-43-5	MA, NJ, PA
Benzyl Alcohol 100-51-6	MA, PA

- | | |
|---|---|
| AZ – Arizona Ambient Air Quality Guidelines | IL – Illinois Toxic Air Contaminant- Carcinogenic |
| CT – Connecticut Hazardous Air Pollutants | MA – Massachusetts Right to Know List |
| CA – California Director’s List of Hazardous Substances | MN – Minnesota Hazardous Substances List |
| CAP65 – California Prop 65 | NJ – New Jersey Right to Know List |
| FL – Florida Substances List | PA – Pennsylvania Right to Know List |
| ID – Idaho Non-Carcinogen Toxic Air Pollutants | RI – Rhode Island Hazardous Substances List |

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 3	Flammability 0	Physical Hazards 0	Personal Protection Glasses, gloves

Issue Date: 21-Jul-2022
Revision/Review Date: 24-Jan-2024
Revision Note: Version 1.3 Updated Section 15.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet