

Issue Date 27-Aug-2015

Revision Date: 27-Aug-2015

Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name Carbon Soak

Other Means of Identification

Product Code 285500

Recommended use of the Chemical and Restrictions on Use

Recommended Use Carbon remover soak concentrate. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.
140 Private Brand Way
Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless

Physical State Liquid

Odor None

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.
May be corrosive to metals.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Keep only in original container.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
SPECIFIC TREATMENT: Remove from exposure and treat symptoms.
IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up.
Store in a corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed.

Other Hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Sodium Silicate	1344-09-8	15-40
Potassium Hydroxide	1310-58-3	5-10
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5
Propylene Glycol Phenyl Ether	770-35-4	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

First Aid Measures

General Advice	Immediately call a POISON CENTER or doctor/physician.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contact lenses should be discarded.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.
Ingestion	IF SWALLOWED: call a poison control center or physician immediately. Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Do not induce vomiting.

Most Important Symptoms and Effects

Symptoms	Causes severe skin burns and eye damage.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	May aggravate pre-existing skin disorders. Any lung condition may be aggravated.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid spill for later disposal.
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

7. HANDLING AND STORAGE**Precautions for Safe Handling**

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. For Industrial or professional use only.
--------------------------------	---

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep from freezing. Protect from excessive heat. Keep out of the reach of children.
Incompatible Materials	Acids. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Dipropylene Glycol Monomethyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³

Appropriate Engineering Controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.
-----------------------------	--

Individual Protection Measures, such as Personal Protective equipment

Eye/Face Protection	Wear goggles or chemical safety glasses. For Industrial or professional use only.
----------------------------	---

Skin and Body Protection	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure.
Respiratory Protection	No respiratory protection is necessary during normal use conditions. In the case of insufficient ventilation or if exposure limits are exceeded, use a suitable NIOSH/MSHA respiratory device.
General Hygiene Considerations	Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	
Appearance	Clear	Odor None
Color	Colorless	Odor Threshold Not determined
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.5-13.0	
Melting Point/Freezing Point	~ 0 °C / 32 °F	
Boiling Point/Boiling Range	~ 100 °C / 212 °F	
Flash Point	None	Tag Closed Cup
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.18	
Water Solubility	Completely soluble	@ 25 °C (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	None known	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep from freezing. Reacts with incompatible materials. Keep out of reach of children.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

Not determined.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Product Information**

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	May be harmful if swallowed. Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Silicate 1344-09-8	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Propylene Glycol Phenyl Ether 770-35-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.4 mg/L 4hr (Rat)

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chronic Toxicity Chronic exposure may cause liver, kidney and/or blood disorders.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Silicate 1344-09-8	-	301 - 478: 96 h <i>Lepomis macrochirus</i> mg/L LC50 3185: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static	-	216: 96 h <i>Daphnia magna</i> mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	-	10000: 96 h <i>Pimephales promelas</i> mg/L LC50 static	-	1919: 48 h <i>Daphnia magna</i> mg/L LC50
Propylene Glycol Phenyl Ether 770-35-4	> 100 mg/L 72hr static <i>Desmodesmus subspicatus</i>	= 280 mg/L 96hr <i>Pimephales promelas</i>	-	= 370 mg/L 48hr <i>Daphnia magna</i>

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
---------------	-----------------------

Potassium Hydroxide 1310-58-3	0.83
Dipropylene Glycol Monomethyl Ether 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide 1310-58-3	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, NOS (Containing Potassium Hydroxide), 8, PG II

IATA**IMDG****15. REGULATORY INFORMATION****International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Potassium Hydroxide 1310-58-3	MA, NJ, PA
Dipropylene Glycol Monomethyl Ether 34590-94-8	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines
 CT – Connecticut Hazardous Air Pollutants
 CA – California Director's List of Hazardous Substances
 CAP65 – California Prop 65
 FL – Florida Substances List
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminant- Carcinogenic
 MA – Massachusetts Right to Know List
 MN – Minnesota Hazardous Substances List
 NJ – New Jersey Right to Know List
 PA – Pennsylvania Right to Know List
 RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

3

0

0

Not determined

Issue Date

27-Aug-2015

Revision Date:

27-Aug-2015

Revision Note

Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet