

Safety Data Sheet

Issue Date 08-Aug-2011 Revision/Review Date: 04-Jul-2023 Version 1.1

1. IDENTIFICATION

Product Identifier

Product Name Maxim Liquid Enzyme Presoak

Other Means of Identification

Product Code 311500

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Dishwashing pretreatment. For industrial and institutional use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc.

140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceBlue GreenPhysical StateLiquidOdorNone

Classification

Serious Eye Damage/Eye Irritation	Category 2 Sub-Category B
Aspiration Hazard	Category 2

Signal Word

Warning

Hazard Statements

Causes eye irritation.

Maybe harmful if swallowed and enters airways.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

<u>Precautionary Statements – Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ŚWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

<u>Precautionary Statements - Disposal</u>

Dispose of contents/container in accordance with local, regional, or national regulations.

Other Hazards

None known.

Unknown Acute Toxicity

None known.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Propylene Glycol	57-55-6	15-40
Sodium Borate	12179-04-3	1-5
Alcohols, C9-11, Ethoxylated	68439-46-3	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

irritation develops or persists, seek medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air. Inhalation of enzyme mist may cause allergic respiratory reactions,

including asthma, in susceptible individuals on repeated exposure.

Ingestion Clean mouth with water and drink afterwards plenty of water. If any discomfort persists,

obtain medical attention.

Most Important Symptoms and Effects

Symptoms Prolonged or repeated exposure can remove natural skin oils and may produce irritation.

Persons with pre-existing eye, skin, or respiratory conditions might be more sensitive.

Revision/Review Date: 04-Jul-2023

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically. May aggravate pre-existing skin disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional

information. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

311500 - Maxim Liquid Enzyme Presoak

Revision/Review Date: 04-Jul-2023 **Methods for Containment** Prevent from spreading or entering drains, ditches, or rivers by using sand, earth, or other

appropriate barriers.

Contain and collect with an inert absorbent and place into an appropriate container for **Methods for Clean-Up**

disposal. Rinse area with clean water and dry before permitting traffic.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. For industrial and commercial use only. Avoid

contact with skin, eyes, or clothing.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from

freezing. Keep out of the reach of children.

Incompatible Materials Strong acids and oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
(particles	Sodium Borate s not otherwise regulated) 12179-04-3	2mg/m³	Total Dust: 15mg/m³ Respirable Fraction: 5mg/m³	-

Appropriate Engineering Controls

Ensure adequate ventilation, especially in confined areas. Good general room ventilation **Engineering Controls**

should be adequate under normal conditions.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Eye protection should be used when splashing may occur.

Wear protective gloves when handling this product. Skin and Body Protection

Respiratory Protection Under normal conditions, respirator is not normally required.

Handle in accordance with good industrial hygiene and safety practice. **General Hygiene Considerations**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid **Appearance** Clear

Odor None

Blue Green **Odor Threshold** Not determined Color

Property <u>Values</u> Remarks • Method

pH (concentrate) 10.0-10.5

Melting Point/Freezing Point Approximately 32°F **Boiling Point/Boiling Range** Approximately 212°F **Flash Point** Not applicable **Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid-not applicable **Upper Flammability Limits** Not applicable **Lower Flammability Limit** Not applicable

311500 - Maxim Liquid Enzyme Presoak Revision/Review Date: 04-Jul-2023

Vapor PressureNot determinedVapor DensityNot determined

Specific Gravity 1.03

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not an explosive **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Avoid excessive heat. Keep from freezing.

Incompatible Materials

Avoid contact with strong acids, oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition may produce oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol 57-55-6	22000 mg/kg (Rat)	21000 mg/kg (Rabbit)	-
Sodium Borate 12179-04-3	>3200 mg/kg (Rat)	-	-
Alcohols, C9-11, Ethoxylated 68439-46-3	1400 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

311500 - Maxim Liquid Enzyme Presoak

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

Revision/Review Date: 04-Jul-2023

IARC or NTP.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propylene Glycol 57-55-6	19000mg/L (72hr) Algae	51400mg/L (96hr) Fathead minnow	-	18340mg/L (48hr) Daphnia
Sodium Borate 12179-04-3	-	40mg/mL (96hr) Coho salmon (seawater)	-	133mg/L (48hr) Daphnia
Alcohols, C9-11, Ethoxylated 68439-46-3	0.95mg/L Algae	6mg/L (96hr) Fathead minnow	-	2.5mg/L (48hr) Daphnia

Persistence/Degradability

Not expected to persist.

Bioaccumulation

Not expected to bioaccumulate.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national, and local laws

and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national, and local laws

and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated. (NOI Non-Hazardous)

IATA Not regulated.

IMDG Not regulated.

15. REGULATORY INFORMATION

International Inventories

311500 - Maxim Liquid Enzyme Presoak

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

Revision/Review Date: 04-Jul-2023

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

None Listed

SARA 311/312 Hazard Categories

Immediate (Acute) Health.

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

None known.

US State Regulations

None known.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List:

Chemical Name	State List
Propylene Glycol 57-55-6	PA

AZ- Arizona Ambient Air Quality Guidelines IL- Illinois Toxic Air Contaminate- Carcinogenic

CT- Connecticut Hazardous Air Pollutants

MA- Massachusetts Right to Know List

CA- California Director's List of Hazardous Substances MN- Minnesota Hazardous Substances List

CAP65C- California Prop65 Carcinogen

NJ- New Jersey Right to Know List

FL- Florida Substances List PA- Pennsylvania Right to Know List

ID- Idaho Non-Carcinogen Toxic Air Pollutants RI- Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth Hazards
1Flammability
0Physical Hazards
0Personal Protection
None required

Issue Date 08-Aug-2011 Revision/Review Date: 04-Jul-2023

Revision Note Version 1.1 Updated Section 3.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.