

Safety Data Sheet

Issue Date 08-Aug-2011 Revision/Review Date: 09-Dec-2019 Version 1.1

1. IDENTIFICATION

Product Identifier

Product Name Maxim Liquid Laundry Builder

Other Means of Identification

Product Code 420800

Recommended use of the Chemical and Restrictions on Use

Recommended Use Laundry detergent builder. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc. 140 Private Brand

140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor Bland

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

Signal Word Danger

zungo.

Hazard Statements

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up.

Store in a corrosive resistant container with a resistant inner liner.



Revision/Review Date: 09-Dec-2019

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed.

Other Hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Potassium Hydroxide	1310-58-3	7-13
Tetrapotassium Pyrophosphate	7320-34-5	1-5
Sodium Silicate	1344-09-8	3-7
Sodium Hydroxide	1310-73-2	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Immediately call a POISON CENTER or doctor/physician.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. Contact lenses should be discarded.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. Never give

anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Do not

induce vomiting.

Most Important Symptoms and Effects

Symptoms Causes severe skin burns and eye damage.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician May aggravate pre-existing skin disorders. Any lung condition may be aggravated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional

Revision/Review Date: 09-Dec-2019

information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid

spill for later disposal.

Methods for Clean-UpContain and collect with an inert absorbent and place into an appropriate container for

disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes. Use personal protection recommended in Section 8. Wash face, hands, and

any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. For Industrial or professional use only.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Keep from freezing. Protect from excessive heat. Keep out of the reach of children.

Incompatible Materials Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea.

Organic materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual Protection Measures, such as Personal Protective equipment

Eye/Face Protection Wear goggles or chemical safety glasses. For Industrial or professional use only.

Skin and Body ProtectionWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of

exposure.

Revision/Review Date: 09-Dec-2019

Respiratory Protection No respiratory protection is necessary during normal use conditions. In the case of

insufficient ventilation or if exposure limits are exceeded, use a suitable NIOSH/MSHA

respiratory device.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

Appearance Clear Odor Bland

Color Colorless **Odor Threshold** Not determined

Remarks • Method **Property** Values

pН 13.5-14.0 Melting Point/Freezing Point ~ 0 °C / 32 °F

Boiling Point/Boiling Range ~ 100 °C / 212 °F

Flash Point Tag Closed Cup None

Evaporation Rate Not determined Flammability (Solid, Gas) Liquid-not applicable **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity 1.26

Water Solubility Completely soluble @ 25 °C (77 °F)

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** None known **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Elevated temperatures. Keep from freezing. Reacts with incompatible materials. Keep out of reach of children.

Incompatible Materials

Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea. Organic materials.

Hazardous Decomposition Products

Oxygen when exposed to copper, nickel, cobalt, iron or iron compounds.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Revision/Review Date: 09-Dec-2019

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion May be harmful if swallowed. Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Sodium Silicate 1344-09-8	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Tetrapotassium Pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chronic Toxicity Chronic exposure may cause liver, kidney and/or blood disorders.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	•	•
Sodium Silicate 1344-09-8	-	301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi- static	-	216: 96 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-
Tetrapotassium Pyrophosphate 7320-34-5	-	100: 96 h Oncorhynchus mykiss mg/L LC50	-	100: 48 h water flea mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Potassium Hydroxide 1310-58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, NOS (Containing Sodium Hydroxide and

Revision/Review Date: 09-Dec-2019

Potassium Hydroxide), 8, PG II

<u>IATA</u>

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic Health Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			Х
Sodium Hydroxide 1310-73-2	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Potassium Hydroxide 1310-58-3	MA, NJ, PA
Sodium Hydroxide 1310-73-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

Revision/Review Date: 09-Dec-2019

MA - Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA - Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Not determined

Issue Date 08-Aug-2011 Revision/Review Date: 09-Dec-2019

Revision Note Version 1.1 Updated Section 3

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.