

Safety Data Sheet

Issue Date 08-Aug-2011 **Revision Date**: 17-Jan-2014 **Version** 1.0

1. IDENTIFICATION

Product Identifier

Product Name Nattura power stripper

Other Means of Identification

Product Code 956000

Recommended use of the Chemical and Restrictions on Use

Recommended Use Floor stripper. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc. 140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor None

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2 Sub-category A

Hazards Not Otherwise Classified (HNOC)

None known.

Signal Word Warning

Hazard Statements

Causes skin irritation.

Causes serious eye irritation.

<u>Precautionary Statements - Prevention</u>

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off immediately contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention.

Specific treatment: Remove from exposure and treat symptoms.

<u>Precautionary Statements - Storage</u>

No other specific measures identified.

Precautionary Statements - Disposal

No other specific measures identified.



None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
Monoethanolamine	141-43-5	10-30
Ethylene Glycol Phenyl Ether	122-99-6	5-10
Dipropylene Glycol Monomethyl Ether	34590-94-8	3-7
Sodium Xylene Sulfonate	1300-72-7	3-7

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON

Revision Date: 17-Jan-2014

CENTER or doctor/physician if irritation occurs/persists.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Ingestion Never give anything by mouth to an unconscious person. Clean mouth with water and drink

afterwards plenty of water. Do not induce vomiting. Call a physician immediately.

Most Important Symptoms and Effects

Symptoms Causes serious eye irritation and skin irritaion. Prolonged or repeated exposure can

remove natural skin oils and may produce irritation. Chronic exposure may cause liver,

kidney and/or blood disorders.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to PhysicianTreat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

956000 - Nattura power stripper Revision Date: 17-Jan-2014

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional

information. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other

appropriate barriers.

Methods for Clean-Up

Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. For industrial and commercial use only. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Take off all contaminated clothing and wash before reuse. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from

freezing. Keep out of the reach of children. Store locked up.

Incompatible Materials Acids. Oxidizing agents. Uncontrolled contact with water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³
Dipropylene Glycol Monomethyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³

Appropriate Engineering Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. Eyewash

stations. Showers.

Individual Protection Measures, such as Personal Protective Equipment

Skin and Body Protection Protective chemical impervious gloves of butyl rubber, nitrile rubber or PVC, chemical

resistant suit and boots.

956000 - Nattura power stripper

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Wash contaminated clothing before

Revision Date: 17-Jan-2014

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Clear

Appearance Clear Odor None

Color Colorless Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.0-11.5

Melting Point/Freezing Point ~ 0 °C / 32 °F

Boiling Point/Boiling Range ~ 100 °C / ~212 °F

Flash Point Not applicable

Evaporation Rate Not determined

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Liquid-not applicable
Not applicable
Not determined
Not determined

Specific Gravity 1.01

Water Solubility Completely soluble

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

@ 25 °C (77 °F)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents. Uncontrolled contact with water.

Hazardous Decomposition Products

Normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes severe eye irritation.

Skin Contact Causes skin irritation.

Inhalation Harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Ethylene Glycol Phenyl Ether 122-99-6	= 1840 mg/kg (Rat)	= 14391 mg/kg (Rat)	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	-

Revision Date: 17-Jan-2014

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as human carcinogens".

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Phenyl Ether 122-99-6	> 500 mg/L (72hr) alga Scenedesmus sp., biomass growth inhibition	344 – 347 mg/L (96hr) Pimephales promelas flow- through	880 mg/L (17hr) bacteria, Growth inhibition (cell density reduction)	> 500 mg/L (48hr) Daphnia magna
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Monoethanolamine 141-43-5	-1.91
Ethylene Glycol Phenyl Ether 122-99-6	1.16
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

Revision Date: 17-Jan-2014

limited quantity exception.

DOT

UN/ID No NOI Non-Hazardous

<u>IATA</u>

<u>IMDG</u>

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

None Listed

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

SARA 313

956000 - Nattura power stripper

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Phenyl Ether	122-99-6	5-10	1.0
Dipropylene Glycol Monomethyl Ether	34590-94-8	3-7	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
None Listed				

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Monoethanolamine 141-43-5	NJ, MA, PA
Ethylene Glycol Phenyl Ether 122-99-6	PA
Dipropylene Glycol Monomethyl Ether 34590-94-8	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA – California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

Revision Date: 17-Jan-2014

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

16. OTHER INFORMATION

Special Hazards NFPA **Health Hazards Flammability** Instability Not determined Not determined Not determined Not determined **Personal Protection Health Hazards Physical Hazards** HMIS Flammability Not determined 2 0

Issue Date 08-Aug-2011 **Revision Date:** 16-Jan-2014

Revision Note New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.